

Figure 1






Figure 2



Intelligent Storage Nodes

Figure 3







Figure 5

DOSM Server 600

Figure 6

DOSM File Look-up Table 610






Figure 7

\$ 000 \$ 000 \$ 000

ij

Kern from

1

3

Hart Hart Level than

Start




Figure 9

Figure 10

Figure 11

1100

Customer Table

Customer Name	Customer Reserved Fields	
Customer A	[Customer stores data]	1200
Customer B	[Customer stores data]	
Customer C	[Customer stores data]	
Customer D	[Customer stores data]	


Folder Table


Customer Id	Folder Id	Folder Parent Id	Metadata	
3	2	-	[Reserved]	1210
3	100	2	[Reserved]	Y
3	251	2	[Reserved]	
3	166	251	[Reserved]	

File Table

Customer Id	File Handle	Folder Id	Folder Parent Id	Metadata	
3	52.MD5	100	2	[Reserved]	1220
3	55.MD5	100	2	[Reserved]	/
3	99.MD5	166	251	[Reserved]	
3	67.MD5	166	251	[Reserved]	

Figure 12








Figure 15





Figure 16






Figure 18




Figure 19




Figure 20




Figure 21b




Figure 22





Figure 23







Figure 25






Figure 27





Figure 28






Figure 30

